

NANOscrub

cleaning machines

Scrubber dryers for professionals



FEATURES

3-year guarantee
No tools required to change the brushes/driving disk
Easy handling
Made in Europe
Low-noise operation

The NANOscrub cleaning machines from Clean Track offer a wide range of options for the mechanical cleaning of small to medium-sized areas of up to 2,500 m². The various models have working widths from 36 cm to 50 cm and fresh water tanks with a capacity of 11 to 44 liters. The areas to be cleaned can be cleaned quickly, effectively and without long breaks.

The machines are available with a 12V/24V battery drive or as a 230V cable-connected version. This means you can choose the right machine for every application. The NANOscrub B50 MOVE also has an electric drive so that you can clean even faster, easier and more effortlessly. If you are looking for a flexible and efficient cleaning solution, the NANOscrub series is an excellent choice.

Our extensive range of accessories offers the right solution for every cleaning situation and every type of floor. Whether cleaning in cafés, schools, retail, hospitals, offices, fitness studios, commercial kitchens or in workshops and on industrial floors, we have the right accessories to make cleaning as easy as possible for you.

The NANOscrub cleaning machines are durable, reliable and easy to maintain. In addition, all machines from model year 2023 onwards come with a 3-year warranty. This offers numerous advantages for end users and dealers. For more information and warranty conditions, see https://www.clean-garant.com or simply contact us.

NANOscrub	E36	B36	Power36	B45	E50	B50 EV0	B50 MOVE
Article no.	890760	890761	890774	890776	890770	890771	890772
Voltage (Volt)	220-240	12	24	24	220-240	24	24
Brush/suction width	360/460	360/460	360/460	430/540	480/800	480/800	480/800
Maximum working capacity (m²/h)	1260	1260	1260	1600	2000	2000	2500
Capacity Fresh water tank (liters)	11	11	15	30	44	44	44
Capacity Dirty water tank (liters)	13	13	16	35	60	60	60
Drive	mechanical	mechanical	mechanical	mechanical	mechanical	mechanical	electric Drive
Suction motor power	400 W	180 W	270 W	400 W	1.000 W	400 W	400 W
Brush motor power	370 W	250 W	400 W	400 W	550 W	550 W	550 W

NANOscrub

Scrubber dryers for professionals

cleaning machines

NANOscrub E36 **Hand-guided scrubber dryer B36**



Universally applicable

The NANOscrub 36 scrubber-driers are perfect for small and congested areas. Maneuverable, small, powerful and thorough with 100% freedom of movement. The adjustable flow of cleaning solution and the automatic start/stop function (using a solenoid valve) allow individual adjustment for every surface. The NANOscrub 36 is ideal when it comes to thorough and easy cleaning and the maintenance of floors in confined spaces. The battery-operated version has a 75 Ah battery and therefore a running time of up to 120 minutes on a single charge. This enables continuous work and a wide range of applications with pads and brushes. The battery is fully charged within 12 hours and the machine is ready for use again. The battery-operated design enables extensive freedom of movement. The NANOscrub B36 can be used universally thanks to its maneuverable and simple application and compact dimensions.

Square meter for square meter

Up to 1,260 m2/h can be cleaned with the NANOscrub 36.

Thanks to the maintenance-free gel battery (B36 only), the clearly arranged controls and the easy-to-change brush with bayonet catch, the NANOscrub 36 is extremely user-friendly.

And away with the dirt!

The dirty water drain hose is easy to operate and ensures convenient disposal of dirty water.

It knows where to go

The robust suction bar is automatically pulled into the correct position and ensures first-class cleaning results.

Preferably curvy

90° bends are no problem with the NANOscrub 36, dirty water is picked up from the floor without leaving any residue.

Small but powerful

Compact, powerful and efficient! Replace your mop and clean with the NANOscrub!



11 I solvent tank 13 L waste water tank



Fasy to clean




control panel



Swivel suction foot

13 I waste water tank	Easy to clean
	Art. No.
NANOscrub E36 incl. 3-year warranty*	890760.000000
NANOscrub B36 incl. 3-year warranty*	890761.000000
Included in the scope of delivery	
Scrubbing brush standard	TBU02783
Squeegees set (front / rear) natural rubber	LIP00944
1 x 12 V Gel battery 75 Ah (B36)	BAT00046
Charger (B36)	BAT00047
Optional accessories	
Polishing brush	TBU02784
Abrasive grit brush - medium	TBU05067
Drive plate for pads up to 380 mm	TBU02785
Squeegees set oil resistant	LIP01552
Cleaning pads for use with drive plate TBU02785	
Flamingo pad	PAD02086
SmartScrub pad	PAD02087
Super pad red	PAD02088
Super pad green	PAD02089
Melamin pads	
Easy Clean HD+ Pad - maintenance cleanin	g PAD02090
Komb-X Pad – intensive cleaning	PAD02091

^{*} Incl. 3-year Clean Garant machine warranty on all parts, except wear parts. Incl. collection of the machine or repair on site, as well as repair of the machine You can find the warranty conditions here: www.clean-garant.com.



Suction motor power Brush motor power

(Deviating from B36 without battery and



Art. No. TBU02784

Optional accessories:

without charger) Voltage

Cable length

PFS brush



Pad driving plate Art. No. TBU02785



220-240 V

15 m 400 W

370 W

NANOscrub 36

24 V scrubber dryer incl. batteries

FloorLine



The **NANOscrub Power36** scrubber dryer is an extremely efficient cleaning appliance with a working width of 36 cm. The appliance is characterized by its easy handling and is ideal for cleaning medium-sized areas of up to $1260 \, \text{m}^2$. This makes the NANOscrub Power36 the perfect choice for wellness and sports facilities, exhibition areas, car dealerships, supermarkets, stores and schools.

The **NANOscrub Power36** is supplied with an on-board charger. The machine can therefore simply be plugged into a socket for charging. It has 2 maintenance-free 36.4 Ah gel batteries, which enable a long operating time until recharging. The scrubbing brush, which is also included in the scope of delivery, ensures effective cleaning.

In addition, optional accessories are available for the **NANOscrub Power36** to further improve the cleaning results and meet the requirements of the respective cleaning tasks. Overall, the NANOscrub Power36 offers an excellent combination of performance, efficiency and ease of use. The device is easy to use, offers a long operating time and is suitable for a wide range of applications.

Simple handling

Clearly laid out and ergonomically arranged control element. All important machine functions such as the on/off switch, water supply, suction and Eco-Energy mode are controlled from here. The working height of the control element is infinitely adjustable.

On-board charger

The on-board charger is always included.

Solid construction

Easy access to all tank openings enables simple maintenance and cleaning.

Practical suction foot

The swivel suction foot ensures good suction results. The rubberized side roller prevents damage to the walls and allows you to work close to the edge. The squeegee is positioned directly behind the brush deck. This achieves a very good cleaning result. The squeegee is raised using an easy-to-operate foot pedal.



Robust construction Easy to clean



Easy to handle

Easy to clean	
	Art. No.
NANOscrub Power36 incl. 3-year warranty*	890774.000000
Included in the scope of delivery	
2x Battery 12V / 36,4Ah / GEL, Connectors M6	BAT00051
Squeegees natural rubber	LIP01653
Scrubbing brush - medium	TBU02783
Optional accessories	
Abrasive grit brush – medium	TBU05067
Drive plate for pads up to 380 mm	TBU02785
Cleaning pads for use with drive plate TBU02785	
Flamingo pad	PAD02086
SmartScrub pad	PAD02087
Super pad red	PAD02088
Super pad green	PAD02089
Melamine pads	
Easy Clean HD+ pad - maintenance cleaning	PAD02090
Komb-X pad – intensive cleaning	PAD02091

^{*} Incl. 3-year Clean Garant machine warranty on all parts, except wear parts. Incl. collection of the machine or repair on site, as well as repair of the machine. You can find the warranty conditions here: www.clean-garant.com.



On board charger



Handy suction foot

Technical information	NANOscrub Power36
Voltage	24 V (Battery and charger included in the scope of delivery)
Working width	360 mm
Suction width	460 mm
Maximum working capacity	1260 m ² /h
Solvent tank capacity	15 L
Collection tank capacity	16 L
Drive	mechanical
Vacuum motor power	270 W
Brush motor power	400 W

Optional accessories:



PES brush Art. No. TBU02784



Pad driving plate Art. No. TBU02785



Easy Clean melamine pad Art. No. PAD00192

NANOscrub B45

24 V scrubber dryer incl. batteries

FloorLine



With its 45 cm working width and 30 liter tank, the **NANOscrub B45** offers a wide range of applications. It impresses with its timeless design, easy handling and compact construction. Ideally suited for cleaning medium-sized areas of up to $1600 \, \text{m}^2$ in wellness and sports facilities, exhibition areas, car dealerships, supermarkets, stores and schools.

The **NANOscrub B45** is supplied fully equipped including onboard charger, 2 maintenance-free 75 Ah gel batteries and scrubbing brush. The machine is therefore ready for immediate use. With fully charged batteries, the running time is up to 3.5 working hours.

The Eco-Energy mode can extend the running time even further. The large dirty water tank is equipped with a drain hose and can also be cleaned easily thanks to the large tank opening. Convenient brush change at the touch of a button. Pad drive plates, 5K universal brushes or abrasive grit brushes are optionally available for the machine. We will be happy to advise you on your individual application.

Solid construction

Easy access to all tank openings. This enables easy maintenance and cleaning.

Simple handling.

Clearly laid out and ergonomically arranged controls. All important machine functions such as: On/Off switch, water supply, suction and Eco-Energy mode are controlled via this. The working height of the control element is infinitely adjustable.


On-board charger

The on-board charger is always included.

Practical suction foot

The swivel suction foot ensures good suction results. The rubberized side roller prevents damage to the walls and allows you to work close to the edge. The squeegee is positioned directly behind the brush deck. This achieves very good suction and cleaning results. The squeegee is raised using an easy-to-operate foot pedal.







Easy to handle




On board charger



Practical suction foot

No.	Technical information	NANOscrub B45
003	Voltage	24 V (Battery and charger included in the scope of delivery)
	Working width	430 mm
218	Suction width	540 mm
351	Maximum working capacity	1600 m ² /h
155	Solvent tank capacity	30 L
154	Collection tank capacity	35 L
	Drive	mechanisch
215	Suction motor power	400 W
216	Brush motor power	400 W
240		



^{*} Incl. 3-year Clean Garant machine warranty on all parts, except wear parts.





PES brush Art. No. TBU06215



Pad driving plate Art. No. TBU06219



Easy Clean melamine pad Art. No. PAD00132

NANOscrub E50

Hand-guided scrubber dryer

FloorLine

B50 EV0 B50 MOVE

- Including battery, charger (B50 & B50 Move) and scrubbing brush
- 3 versions: 230 V cable, EVO 24 V and Move 24 V with traction drive



The NANOscrub 50 scrubber dryers are perfect for cleaning car repair shops, supermarkets, fitness centers and healthcare facilities. Maneuverable, powerful and thorough with 100% freedom of movement. The adjustable flow of cleaning solution (start/stop function using a solenoid valve) allows individual adjustment for each surface.

The use of different pads and brushes offers a wide range of possible applications.

The NANOscrub 50 is ideal for thorough and easy cleaning and maintenance of larger surfaces. Thanks to the protected positioning of the vacuum motor, low-noise operation is guaranteed. Changing the brush/pad and suction lips is simple and userfriendly, and the batteries in the B version are fully charged and ready for use within 12 hours.



The NANOscrub 50 is available in three versions. A 230 V version with cable connection and a 24 V version with and without automatic drive.

Clean surfaces efficiently

Suitable for areas up to 2,500 m².

Place of use

Medium-sized uncovered areas such as corridors and hallways, sports facilities, industrial, commercial and educational

Features

- Simple operation
- Long running times
- · Quick and efficient control of the cleaning result

Easy to operate

The NANOscrub is extremely user-friendly thanks to the clearly arranged controls and the easy-to-change brush with bayonet catch.





Easy access





User-friendly control panel

Swivel suction foot

working width 50 cm	Easy to clean	Oser-mendiy control panel
	Art. No.	Technical information
NANOscrub E50 incl. 3-year warranty*	890770.000000	Voltage
NANOscrub B50 EVO incl. 3-year warranty*	890771.000300	
NANOscrub B50 MOVE incl. 3-year warranty*	890772.000300	Working and suction width
Included in the scope of delivery		Maximum working capacity Solvent tank capacity
Scrubbing brush	TBU04000	Collection tank capacity
Squeegees set natural rubber	LIP01985	Drive
2 Batteries 12V/110 Ah	BAT00179	Suction motor power
On-board charger	BAT00164	Brush motor power
Optional accessories		Detergent system
Polishing brush – 5K / PES	TBU03999	Technische Daten (differing from B50)
Drive plate for pads up to 510 mm	TBU04001	Maximum working capacity
Abrasive grit pad -medium	TBU07023	Drive Drive
Squeegees - oil resistant	LIP01553	Tashulasha Datau
Cleaning pads zur Verwendung mit Treibteller TBU04001		Technische Daten (Differing from B50 u. B50 MOV
Flamingo-pad Janex, pink	PAD00174	Battery and charger)
Smart Scrub pad, blue	PAD00175	Voltage
Flex Scrub Brush pad, red	256902.000019	Cable length
Flex Scrub Brush pad, green	256903.000019	Vacuum motor power
Flex Scrub Brush pad, black	256906.000019	Optional accessories:
Melamine pads		
Easy Clean HD+, white	PAD00173	* *************************************

^{*} Incl. 3-year Clean Garant machine warranty on all parts, except wear parts Incl. pick-up of the machine or repair on site, as well as repair of the You can find the warranty conditions here: www.clean-garant.com.

Technical information	NANOscrub B50
Voltage	24 V (Battery and charger included in the scope of delivery)
Working and suction width	480 mm / 800 mm
Maximum working capacity	2.500 m ² /h
Solvent tank capacity	44 I
Collection tank capacity	60 I
Drive	manual
Suction motor power	400 W
Brush motor power	550 W
Detergent system	Solenoid valve

Drive	electronic
Technische Daten (Differing from B50 u. B50 MOVE without Battery and charger)	NANOscrub E50
Voltage	220-240 V
Cable length	15 m
Vacuum motor power	1000 W

Optional accessories:



Art. No. TBU03999





NANOscrub B50 MOVE

2500 m²/h

Drive plate for pads Art. No. TBU04001

Easy Clean melamine pad Art. No. PAD00173

